

CLASSIFICATION: 12 24 13 Furnishings: Roller Window
Shades

created via: HPDC Online Builder

PRODUCT DESCRIPTION: Mermet PVC Coated Fiberglass textiles. This HPD covers all styles of PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format ☐ Nested Materials Method ☒ Basic Method	Threshold level ☒ 100 ppm ☐ 1,000 ppm ☐ Per GHS SDS ☐ Per OSHA MSDS ☐ Other	Residuals/Impurities ☐ Considered ☐ Partially Considered ☒ Not Considered Explanation(s) provided for Residuals/Impurities? ☒ Yes ☐ No	Are All Substances Above the Threshold Indicated: Characterized Percent Weight and Role Provided? ☒ Yes ☐ No Screened Using Priority Hazard Lists with Results Disclosed? ☒ Yes ☐ No Identified Name and Identifier Provided? ☐ Yes ☒ No
---	--	---	--

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

PVC COATED FIBERGLASS FABRIC [FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT LT-UNK PVC RELATED POLYMERS (PVC RELATED POLYMERS) NoGS 1,2-BENZENEDICARBOXYLIC ACID, DINONYL ESTER, BRANCHED AND LINEAR LT-UNK BARIUM ZINC COMPLEX NoGS FLAME RETARDANTS (FLAME RETARDANTS) NoGS]

Number of Greenscreen BM-4/BM3 contents.....
0
Contents highest concern GreenScreen
Benchmark or List translator Score..... LT-UNK
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

One or more of the substances inventoried were not disclosed by name or identifier due to proprietary compositions from suppliers. Only SDS level disclosure was available.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified
Other: ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1 and Option 2

Third Party Verified? ☐ Yes ☒ No	PREPARER: Self-Prepared VERIFIER: VERIFICATION #:	SCREENING DATE: 2018-03-12 PUBLISHED DATE: 2018-03-12 EXPIRY DATE: 2021-03-12
---	---	---

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

PVC COATED FIBERGLASS FABRIC

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: No
RESIDUALS AND IMPURITIES NOTES: No evidence of residuals and impurities was identified by any supplier or found in our manufacturing process. Therefore residuals and impurities were not considered.	
OTHER PRODUCT NOTES: This HPD covers all styles of PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD which leads to some variation in composition. No alternate supplier or materials are applicable for this product.	

FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT

ID: 65997-17-3

%: 36.0000	GS: LT-UNK	RC: None	NANO: No	ROLE: Core Yarn
HAZARDS:		AGENCY(IES) WITH WARNINGS:		
None Found		No warnings found on HPD Priority lists		
SUBSTANCE NOTES: Continuous filament fibrous glass				

PVC RELATED POLYMERS (PVC RELATED POLYMERS)

ID: Not registered

%		36.0000 - 40.0000		GS:	NoGS	RC:	None	NANO:	No	ROLE:	Polymer
HAZARDS:		AGENCY(IES) WITH WARNINGS:									
None Found		No warnings found on HPD Priority lists									
SUBSTANCE NOTES: Polymer Coating. This HPD covers all styles of PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD which leads to some variation in the required percentage of this substance in the composition.											

1,2-BENZENEDICARBOXYLIC ACID, DINONYL ESTER, BRANCHED AND LINEAR

ID: 68515-45-7

%: 10.0000 - 20.0000		GS: LT-UNK		RC: None		NANO: No		ROLE: Plasticizer	
HAZARDS:		AGENCY(IES) WITH WARNINGS:							
None Found		No warnings found on HPD Priority lists							
SUBSTANCE NOTES: Plasticizer mixture of CAS #s 68515-45-7 and 6422-86-2. Mermet offers a range of patterns, openness factors, and									

colors using the material covered in this HPD which leads to some variation in the required percentage of this substance in the composition.

BARIUM ZINC COMPLEX

ID: **Not registered**

%: **1.0000 - 3.0000** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Heat Stabilizer**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Heat Stabilizer. Mermet offers a range of patterns, openness factors, and colors using the material covered in this HPD which leads to some variation in the required percentage of this substance in the composition. This substances was not disclosed due to proprietary compositions from suppliers. Only SDS level disclosure was available.

FLAME RETARDANTS (FLAME RETARDANTS)

ID: **Not registered**

%: **0.9700** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Flame Retardant**

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Flame Retardant. This substances was not disclosed due to proprietary compositions from suppliers. Only SDS level disclosure was available.

 Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: **Third Party**
APPLICABLE FACILITIES: **All Facilities**
CERTIFICATE URL:
https://spot.ulprospector.com/en/na/BuiltEnvironment/Suppliers/32302/Mermet-USA/search?k=mermet&st=1&so=k_0&sl=57566441

ISSUE DATE: **2008-01-10** EXPIRY DATE: **2019-11-16** CERTIFIER OR LAB: **GreenGuard Environmental Institute**

CERTIFICATION AND COMPLIANCE NOTES:

OTHER

ROHS 2-2011/65/EU Restriction of Hazardous Substances Directive

CERTIFYING PARTY: **Third Party**
APPLICABLE FACILITIES: **All Facilities**
CERTIFICATE URL:

ISSUE DATE: **2015-12-01** EXPIRY DATE: CERTIFIER OR LAB: **St. Louis Testing Laboratories**

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Health hazards and screenings completed by the HPDC Online Builder tool. This HPD covers all styles of Mermet PVC coated fiberglass fabric, both 95-tex and 165-tex yarns. Mermet offers a range of weave patterns, openness factors, and colors using the material covered in this HPD.

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **Mermet USA**

ADDRESS: **5970 North Main Street
Cowpens South Carolina 29330, United States**

WEBSITE: **www.mermetusa.com**

CONTACT NAME: **Ali Fisher**

TITLE: **Product Manager**

PHONE: **8644635433**

EMAIL: **ali.fisher@mermetusa.com**

KEY

OSHA MSDS
GHS SDS

Occupational Safety and Health Administration Material Safety Data Sheet
Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

Recycled Types

- PreC** Preconsumer (Post-Industrial)
- PostC** Postconsumer
- Both** Both Preconsumer and Postconsumer
- Unk** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.